

Here we are sharing memory-based questions from AIIMS New Delhi nursing officer exam 2018. Questions below are from nursing section.

1. Coarse rattling sound in airways

Rhonchi

2. Gas used in laparoscopy to inflate abdominal wall

Carbon dioxide

3. Flow rates used in a nasal cannula

1 to 4 liters per minute

4. Breast milk can be stored at room temperature for

4 hours

5. Ramsay scale is used in ICU for

Measuring level of sedation

6. Most important Nursing action for fracture healing

Immobilization

7. Which complication may be seen in burn patient?

Contracture

8. Drug used for prophylaxis of manic-depressive disorder is

Lithium

9. Red color is side effect of antitubercular drug

Rifampicin

10. Golden color of amniotic fluid indicates

Rh factor incompatibility

11. Recommended minimum scrub time for using surgical handwash

5 min

12. High heat resistance vaccine is BCG, OPV or TT

TT

13. ICD tube is attached to

Water seal chamber

14. Digoxin toxicity can cause electrolyte balance of typ

Hypokalemia

15. Route of administration of rotavirus vaccine is

Oral route

16. Bishop's score is used for?

Induction of labor

17. White discharge from vagina can be due to

Candidiasis

18. Major intracellular cation is

Potassium

19. Foot drop occurs due to

Deep peroneal nerve

20. A patient blames his family environment for his chronic alcoholism, which defense mechanism is being used by the patient?

Rationalization

21. Which position is given to a patient after Mastectomy?

Elevate affected hand with a pillow

22. Which position is given to patient after spinal anesthesia?

Flat

23. Ringer Lactate is used to manage

Hypotension

24. Which of the following condition is a fatal medical emergency?

Acute epiglottitis

25. Confirmatory Diagnostic test of multiple pregnancy is

Ultrasonogram

26. Which of the following parameter, must be observed in an infant with shock?

Urine output

27. Which value of HbA1c in a Diabetic patient is indicate good control of blood sugar levels over a period of months.

6 to 8

28. Following plaster cast the nurse should asses first

Movement of toe

29. Normal color of colostomy stoma?

Pale pink

30. Characteristic feature of pyloric stenosis?

Projectile vomiting

31. What symptom occurs in schizophrenia

Delusion

32. Kegel exercise is used after delivery to?

Strengthening of urinary and muscles rectal muscles

33. Which of the following food should be avoided when the patient is on MAOI?

Tyramine containing food

34. Parkland formula for fluid calculation in burn patients

4 ml x BSA x body weight

35. Simple test for varicose vein.

Trendelenburg test

36. Complication associated with massive blood transfusion is

Hyperkalemia and Hypocalcemia

37. In general anesthesia which sensation disappear at last

Hearing

38. Color code for children cannula

Yellow

39. Gaseous anesthetic is ketamine or isoflurane

Isoflurane

40. Folic acid prevent

Neural Tube defects

41. Cause of fluids loss in burnt patients is

Increased capillarity permeability

42. Infected dressings should be discarded in bag of color

Yellow bag

43. Pain in right lower quadrant could mean

Appendicitis

44. Indirect Comb Test is used for

Rh Incompatibility

45. Nasopharyngeal Tube cannot be used in

Basilar Skull Fracture

46. To convert pressure unit from cm of water to mm of Hg multiply with

1.36

47. Which of the following is not judged in mental status exam, intelligence, general appearance, Intelligence or prejudice?

Prejudice

48. An infection is categorized as Hospital Acquired Infection after

48 hour of hospital administration

49. Lactation act as natural contraceptive for

90 days

50. Ascites occur Due to

Hypoalbuminemia

51. Which drug is given to prevent bradycardia during surgery

Atropine

52. Normal color of Colostomy Stoma

Pale Pink

53. Name current director of AIIMS

54. Decreased weight occurs in Kwashiorkor or not

No

55. After hydatidiform mole surgery nurse should assess urinary output or hCG

hCG

56. Negative symptom of Schizophrenia

Anhedonia

57. What is consistency of effluent stool in ileostomy

Thick liquid stool

58. Anticoagulant used in hemogram vial

NA Citrate

59. Priority intervention in Guillain Barre syndrome

Maintenance of Airway and breathing pattern

60. Normal concentration of serum potassium

3-5 mEq/L

61. What should be checked before giving clear liquid after anesthesia

Gag reflex

62. If LMP is 25 June 2018, what is EDD

2 April 2019

63. Sulfonyl ureas are contradicted i

Breast feeding

64. Non absorbable Suture is made of

Polyester

65. Position given to child during nose bleed

Lean forward sitting position